(Modified) PTO/SB/08A-B (10-96) Approved for use through 10/31/99. OMB 0651-0031

Complete if Known tute for form 1449A-B/PTO Application Number 09/771,208 January 26, 2001 AUG 3 0 2002 INFORMATION DISCLOSURE Filing Date Juan F. Medrano First Named Inventor STATEMENT BY APPLICANT 1663 1632 Group Art Unit TECH CENTER 1600/2900 Examiner Name Not yet Assigned (use as many sheets as necessary) 407T-923710US Attorney Docket Number **Date Submitted** 26 AUGUST 2002

		. <u>.</u>	U.	S. PATENT DOCUMENTS		
Examiner	Cite	U.S. Patent Do	Cument Kind Code	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document	Pages, Columns, lines, Where Relevant Passages
Initials	No.	Tallibei	(if known)		MM-DD-YYYY	or Relevant Figures Appeal
RRS	01	5,350,836		Kopchick et al.	09-27-1994	

				FOREIGI	N PATENT DOCUMEN	TS		
F	Cita		Foreign Patent Docur	ment Kind Code	Name of Patentee or	Date of Publication of Cited Document	Pages, Columns, Lines, Where Relevant Passages	т
Examiner Initials	Cite No.	Office	Number	(if known)	Applicant of Cited Document	MM-DD-YYYY	or Relevant Figures Appear	<u> </u>
								-
								l

	_	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	1
Examiner Cite No.		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Т
	02	GenBank No: AF190578V	
-	03_	GenBank No: AF132441	
_	04	GenBank No: AA083729	
	-05	CenBank No: T81562	
	-06	GenBank No: AA119147	
2123 1	07	Ahmad et al., (1997) "CRADD, a novel Human Apoptotic Adaptor Molecule for Caspase-2, and FasL/Tumor Necrosis Factor Receptor-interacting Protein RIP," Cancer Research, 57:615-619.	-
	08	Aleyasin and Barendse (1999) "Comparative Mapping of Genes from Human Chromosome 12 by Genetic Linkage Mapping in Cattle," Amer. Genet. Assoc. 90:537-542.	
	09	Bradford and Famula (1984) "Evidence for a Major Gene for Rapid Postweaning Growth in Mice," Genet. Res., Cambridge, 44 pp. 293-308.	/
	10	Brockmann et al. (1998) "Quantitative Trait Loci Affecting Body Weight and Fatness From a Mouse Line Selected for Extreme High Growth," Genetics 150, 369-381.	,
	11	Calvert et al. (1984) "Composition of Growth in Mice with a Major Gene For Rapid Postweaning Gain," J. Anim. Sci. 59:361-365.	_
$\neg \vdash$	12	Cheverud et al. (1996) "Quantitative Trait Loci for Murine Growth," Genetics 142;1305-1319.	_
ERS	13	Church et al. (1994) "Isolation of Genes from Complex Sources of Mammalian Genomic DNA using Exon Amplification," Nature Genetics, 6, pp. 98-105.	_

Examiner R RS	Date Considered	1/27/03	
---------------	--------------------	---------	--

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Complete if Known Substitute for form 1449A-B/PTO Application Number 09/771,208 January 26, 2001 INFORMATION DISCLOSURE Filing Date Juan F. Medrano First Named Inventor STATEMENT BY APPLICANT Group Art Unit 1653 1/32 Not yet Assigned FCH CF **Examiner Name** (use as many sheets as necessary) Attorney Docket Number 407T-923710US **Date Submitted** 26 AUGUST 2002

RR5	14	Conlon and Raff (1999) "Size Control in Animal De	velopment," Cell 96	5:235-244.	
	15	Corva and Medrano (2000) Diet effects on weight (hg/hg) mice," Physiol. Genomics 3:17-23.	gain and body comp	oosition in high grov	vth
	16	Damak et al. (1996) "Improved Wool Production in Growth Factor 1," Biotechnology 14: 185-188.	Transgenic Sheep	Expressing Insulin-	like
	17	Dey et al. (1998) "Interaction of Human Suppresso Insulin-like Growth Factor-I Receptor," J. Biol. Che	r of Cytokine Signa m. 273:24095-2410	ling (SOCS)-2 with	the
	18 🗸	Duan and Dixit (1997) "RAIDD is a New 'Death' Ac	laptor Molecule," Na	ature 385:86-89	
	19	Efstratiadis (1998) "Genetics of mouse growth," Int	. J. Dev. Biol. 42:95	55-976.	
	20	Ellis and Horvitz (1986) "Genetic control of prograr elegans." Cell, 44, pp. 817-829.	nmed cell death in t	he Nematode C.	
	21	Famula et al. (1988) "Organ and Skeletal Growth in Postweaning Growth," Growth Dev. & Aging 52:14	n Mice with a Major 5-150.	Gene for Rapid	
\int	22	Favre et al. (1999) "Dual effects of suppressor of chormone signal transduction," FEBS Letters 453:6		OCS-2) on growth	
	23	Groenen et al. (1997) "QTL Mapping in Chicken Ustructure of an Extreme Broiler X Broiler Cross."	sing a Three Genera Anim. Biotechnology	ation Full SIB Famil 8:41-46.	ly _
7	24	Hammer et al. (1995) "Expression of human growt mice results in increased somatic growth," Nature,		g factor in transgen	ic
	25 V	Horvat and Medrano (1995) "Interval Maping of hig increases Weight Gain in Mice," Genetics 139:173	gh growth (hg), a ma 7-1748.	ajor Locus that	
	26	Horvat and Medrano (1996) "The High Growth (hg Chromosome 10," Genomics 36:546-549.) Locus Maps to a D	Deletion in Mouse	
	27	Horvat and Medrano (1998) "A 500-kb YAC and Barbeltion in Mouse Chromosome 10 and Identificat Candidate Region." Genomics 54:159-164.	AC Contig Encompa ion of the Murine Ra	assing the High-Gro aidd/Cradd Gene in	wth the
7	28	Horvat and Medrano (1994) "Fine Genetic Mapping Increases Postweaning Gain in Mice," 8 th International abstract booklet, page 67.	g of the High Growtl onal Mouse Genom	h (hg) Locus that ne Conference, Lon	don,
	29	Horvat and Medrano (1997) abstract entitled "Map (hg) Gene: Physical Mapping and Identification of Region," with poster entitled "Towards Positional C Gene," presented at Plant/Animal Genome Confer	Expressed Transcrip Bloning of the Mouse	pts Within the Cand e high growth (hg)	vth lidate
RLS	30	Horvat and Medrano (1996) "Fine Genetic Mappingrowth (hg) Locus in Mouse Chromosome 10: Tar	g of the Region Sur geting Random Amp	rounding the high olified Polymorph D	NA
Examine Signatui		RRS	Date Considered	1/27/03	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

AUS 2 9 2002 UNION FOR FOR

for form 1449A-B/PTO

TATEMENT BY APPLICANT

(use as many sheets as necessary)

Co	omplete if Known		
Application Number	09/771,208	RECEIVE	רם
Filing Date	January 26, 2001	NECLIVE	
First Named Inventor	Juan F. Medrano		
Group Art Unit	1653-1632	AUG 3 0 200)2
Examiner Name	Not yet Assigned		
Attorney Docket Number	407T-923710US	TECH CENTED 100	0/2000
Date Submitted	26 AUGUST	TECH CENTER 160	0/2300

RR		(RAPD) Markers," Mammalian Genome 7:312-314.	
	31	Horvat and Medrano (1994) "Targeting a Specific Genomic Interval to Indentify RAPD Markers Linked to the High Growth (hg) Locus in Mice," Proc. 5 th World Congress of Genetics Applied Livestock Production, 21, pp. 71-74.	-
	32	Horvat et al. (1997) "Positional Cloning of the Mouse High Growth 9hg) Gene: Physical and Transcript Mapping within the Candidate Region," Proceedings of the 1 st Congress of the Genetics Society of Slovenia, Ljubljana, Slovenia. Pp. 105-106.	,
	33	Jacobson et al. (1997) "Programmed Cell Death in Animal Development," Cell 88, pp. 347-354.	-
	34	Keightly et al. (1996) "A Genetic Map of Quantitative Trait Loci for Body Weight in the Mouse," Genetics 142:227-235.	
	35	Keightly and Knott (1999) "Testing the correspondence between map positions of quantitative trait loci," Genet. Res. 74:323-328.	
	36	Kopchick et al. (1989) Brazil. J. Genetics 12:37-54.	_
	37	Lee and McPherron (1999) "Myostatin and the control of skeletal muscle mass" Curr. Opin. Genet. Dev. 9:604-607.	-
	38	Lembertas et al. (1997) "Identification of an Obesity Quantitative Trait Locus on Mouse Chromosome 2 and Evidence of Linkage to Body Fat and Insulin on Human Homologous Region 20q." J. Clin. Invest. 100:1240-1247.	
	39	L'Huillier et al. (1996) "Efficient and Specific Ribozyme-Mediated Reduction of Bovine α-lactalbumin Expression in Double Transgenic Mice," Proc. Nat'l, Acad. Sci. USA, 93:6698-6703.	
	40	McGrane et al. (1988) "Tissue-specific Expression and Dietary Regulation of Chimeric Phosphoenolpyruvate Carboxykinase/Bovine Growth Hormone Gene in Transgenic Mice," J. Biol. Chem. 15, 263:11443-51.	
	41	McPherron and Lee (1997) "Double muscling in Cattle Due to Mutations in the Myostatin Gene," Proc. Natl. Acad. Sci. USA 94:12457-12461.	
	42	McPherron et al. (1997) "Regulation of Skeletal Muscle Mass in Mice by a New TGF-β Superfamily Member," Nature, 387, pp. 83-90.	/
	43	Medrano et al (1991) "Growth Hormone and Insulin-like Growth Factor-l Measurements in high-growth (hg) Mice," Genet. Res. , Cambridge, 58:67-75.	/
ples	44	Medrano et al (1992) "The high growth gene (hg) in mice is located in chromosomes 10 linked to Igr-1," ed. Whelan et al., In Advances in Gene Technology: Feeding the World in the 21 st Century, proceedings of the 1992 Miami Bio/Technology Winter Symposium, IRL Press at Oxford University Press, 2, p. 12.	

Examiner	OAb	Date	1-2/03
Signature	Klo	Considered	1 27 7
			— T

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

(Modified) PTO/SB/08A-B (10-96) Approved for use through 10/31/99, OMB 0651-0031

Substitute for form 1449A-B/PTO
INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

Complete if Known

Application Number 09/771,208

Filing Date January 26, 2001 AUG 3 0 2002

First Named Inventor Juan F. Medrano

Group Art Unit 1653 163 TECH CENTER 1600/290

Examiner Name Not yet Assigned

Attorney Docket Number 407T-923710US

Date Submitted 26 AUGUST 2002

(use as many sheets as necessary)

RIS	45	Mehrabian et al (1998) "Genetic Loci Controlling Body Fat, Lipoprotein, and Insulin Levels in a Multifacial Mouse Model," J. Clin. Invest. 101:2485-2496.	,
1	46	Metcalf et al. (2000) "Gigantism in mice lacking suppressor of cytokine signalling-2." Nature 405:1069-1073.	_
	47	Nakayama et al. (1996) "Mice Lacking p27 ^{Kip1} Display Increased Body Size, Multiple Organ Hyperplasia, Retinal Dysplasia, and Pituitary Tumors," Cell 85:707-720.	-
	48	Palmiter et al. (1983) "Metallothionein-Human GH Fusion Genes Stimulate Growth of Mice," Science 222:809-814.	_
	49	Philpott et al. (1994) "Effects of Insulin and Insulin-Like Growth Factors on Cultured Human Hair Follicles: IGF-I at Physiologic Concentrations Is an Important Regulator of Hair Follicle Growth In Vitro," J. Invest Dematol 102:857-861.	_
	50	Raff (1996) "Size Control: The Regulation of Cell Numbers in Animal Development," Cell, 86, pp. 173-177.	~
	51	Reiser et al. (1996) "Effects of Elevated Circulating IGF-1 on the Extracellular Matrix in "high-growth" C57BL/6J Mice," Am. J. Physiol., 271:R696-R703.	_
	52	Shoba et al. (1999) "Developmental regulation of insulin-like growth factor-I and growth hormone receptor gene expression," Mol. Cell. Endo. 152:125-136.	-
	53	Sjogren et al. (1999) "Liver-derived insulin-like growth factor I (IGF-I) is the principal source of IGF-I in blood but is not required for postnatal body growth in mice," Proc. Nat'I. Acad. Sci. USA, 96:7088-7092.	1
	54	Smith et al. (2000) "Mapping the RAIDD gene of chicken (Gallus gallus): identification of a region homologous to the mouse high-growth region." Mamm Genome 11:706-709.	
	55	Starr et al. (1997) "A family of cytokine-inducible inhibitors of signalling," Nature 387:917-921.	_
	56	Stewart and Rotwein (1996) "Growth, Differentiation, and Survival: Multiple Physiological Functions for Insulin-Like Growth Factors," Phys. Rev. 76:1005-1026.	_
	57	Stone et al. (1999) "A Primary Screen of the Bovine Genome for Quantitative Trait Loci Affecting Carcass and Growth Traits," J. Anim. Sci. 77:1379-1384.	_
1	58	Su et al. (1999) "Increased Vibrassa Growth in Transgenic Mice Expressing Insulin-Like Growth Factor 1," J. Invest. Dermatol. 112:245-248.	_
	59	Su and O'Farrell (1998) "Size Control: Cell proliferation does not equal growth," Curr. Biol. 8:R687-689.	,
	60	Summers and Medrano (1994) "Morphometric Analysis of Skeletal Muscle Growth in the High Growth Mouse," Growth, Development & Aging, 58:135-148.	_
12/25	61	Summers and Medrano (1996) "Delayed Myogenesis Associated with Muscle Fiber	-

Examiner	a Q %	Date	1127/03
Signature		Considered	110/10/

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

SO Stitute for the

stitute for form 1449A-B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Co	omplete if Known
Application Number	09/771,208
Filing Date	January 26, 2001
First Named Inventor	Juan F. Medrano
Group Art Unit	1653 1632
Examiner Name	Not yet Assigned
Attorney Docket Number	407T-923710US
Date Submitted	26 AUGUST 2002

		Hyperplasia in High-Growth Mice," P.S.E.B.M. 214:380-385.	
RAS	62	Taylor and Phillips (1999) "Gender-influenced obesity QTLs identified in a cross involving the KK type II diabetes mouse strain," Mamm Genome 10:963-968.	
1	63	Wakefield and Graves (1996) "Comparative maps of vertebrates," Mamm Genome 7:715-716.	
	64	Webster AJF (1989) "Bioenergetics, Bioengineering and Growth," Anim. Prod. 48:249-269.	
	65	Wilmut et al. (1997) "Viable Offspring Derived from Fetal and Adult Mammalian Cells," Nature, 385, pp. 810-813.	
	66	Xie et al., (1997) "A Ribozyme-Mediated, Gene "Knockdown" Strategy for the Identification of gene Function in Zebrafish," Proc. Natl. Acad. Sci. USA, 94:13777-13781.	
	67	Yakar et al. (1999) "Normal growth and development in the absence of hepatic insulin-like growth factor I," Proc. Natl. Acad. Sci. USA 96:7324-7329	
RNS	68	York et al. (1996) "Sensitivity to dietary obesity linked to a locus on Chromosome 15 in a CAST/Ei x C57BL/6J F ₂ intercross," Mamm. Genome 7:677-681.	

RECEIVED

AUG 3 0 2002

TECH CENTER 1600/2900

	-			
Examiner	202	Date	100	امدا
Signature		Considered	1/21	\' /

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.